

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
A01-A02.....	67	5	-	-	2	3	4	3	6	11	22	11	-	
A03,A06.....	16	-	1	1	-	1	1	-	1	3	2	6	-	
A04,A07-A09.....	2,162	14	11	3	11	29	55	64	102	355	768	750	-	
A16-A19.....	1,858	2	3	3	14	41	130	204	251	372	498	339	1	
A16.....	1,592	1	2	2	11	29	106	159	223	318	438	302	1	
A17-A19.....	278	1	1	1	3	13	28	47	28	55	63	38	-	
A37.....	14	13	-	-	-	-	-	-	-	1	-	-	-	
A38,A46.....	10	-	-	-	-	1	-	1	-	3	1	4	-	
A39.....	246	33	31	27	39	26	33	19	5	10	14	9	-	
A40-A41.....	139,311	791	355	382	765	1,830	5,323	9,632	14,702	28,020	42,387	35,119	5	
A50-A53.....	155	3	1	2	-	4	13	15	12	36	44	25	-	
A80.....	2	-	-	-	-	-	-	-	-	-	-	2	-	
A83-A84,A85.2.....	3	-	-	-	-	-	-	-	-	2	-	1	-	
B05.....	4	1	-	-	-	-	1	1	1	-	-	-	-	
B15-B19.....	9,612	5	6	6	40	237	1,815	3,190	1,488	1,456	1,059	310	-	
B20-B24.....	16,078	15	27	69	209	2,831	6,662	4,364	1,336	460	85	19	1	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
B50-B54.....	9	1	-	-	-	2	1	-	1	3	-	1	-	
A00---B99.....	18,396	388	153	179	283	964	2,047	2,347	2,255	3,263	3,914	2,601	2	
C00-C97.....	612,459	85	446	1,083	1,819	4,433	17,903	48,926	94,100	165,552	185,289	92,813	10	
C00-C14.....	9,377	-	4	7	32	51	324	1,222	1,974	2,399	2,289	1,075	-	
C15.....	13,109	-	-	-	-	38	307	1,328	2,684	4,079	3,389	1,283	1	
C16.....	14,095	-	-	1	13	140	524	1,155	1,984	3,470	4,363	2,445	-	
C18-C21.....	68,153	1	-	1	48	302	1,417	4,273	8,588	16,271	22,103	15,149	-	
C22.....	13,815	9	30	13	45	87	488	1,676	2,318	3,902	3,810	1,437	-	
C25.....	30,558	1	-	-	3	56	616	2,443	4,881	8,664	9,485	4,408	1	
C32.....	5,279	-	-	-	-	7	97	472	1,136	1,757	1,345	465	-	
C33-C34.....	162,399	1	-	8	24	188	2,810	11,822	30,698	55,330	48,038	13,478	2	
C43.....	8,001	1	1	1	39	204	638	1,172	1,337	1,826	1,889	893	-	
C50.....	51,206	-	1	2	13	451	2,842	6,504	8,094	10,826	12,967	9,506	-	
C53.....	4,793	-	-	-	13	225	736	975	861	815	717	450	1	
C54-C55.....	7,760	-	-	-	2	23	159	526	1,126	2,065	2,457	1,402	-	
C56.....	14,771	-	1	2	28	84	531	1,629	2,586	3,896	4,257	1,757	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
C61.....	45,456	1	-	-	1	3	33	416	2,391	9,624	19,374	13,611	2	
C64-C65.....	13,081	2	19	35	18	61	360	1,223	2,298	3,582	3,767	1,716	-	
C67.....	15,920	-	-	1	2	16	107	520	1,453	3,669	6,024	4,127	1	
C70-C72.....	13,439	14	115	317	230	464	1,109	1,962	2,563	3,302	2,648	715	-	
C81-C96.....	67,597	36	152	402	793	1,244	2,529	4,606	8,544	16,663	21,961	10,667	-	
C81.....	1,945	-	1	11	100	190	249	261	273	378	346	136	-	
C82-C85.....	27,791	2	18	45	172	477	1,257	2,136	3,655	6,866	9,110	4,053	-	
C91-C95.....	25,618	34	134	352	532	563	883	1,528	2,886	5,959	8,136	4,611	-	
C88,C90.....	13,124	-	-	-	2	24	173	745	1,896	3,690	4,644	1,950	-	
C96.....	125	1	1	-	1	6	7	14	14	32	32	17	-	
C17--C97.....	126,296	21	146	340	589	1,150	4,378	11,138	20,657	34,541	36,299	17,033	4	
D00-D48.....	22,676	97	74	123	127	238	526	1,027	1,847	4,600	7,943	6,074	-	
D50-D64.....	44,910	55	68	125	269	493	1,110	1,831	2,870	6,713	13,612	17,764	-	
E10-E14.....	209,881	4	8	42	249	1,067	4,093	12,169	26,251	52,647	71,217	42,127	7	
E40-E64.....	27,935	31	12	24	49	153	488	1,011	1,790	4,024	9,000	11,353	-	
E40-E46.....	25,362	26	10	20	44	146	459	946	1,636	3,673	8,203	10,199	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
E50-E64.....	2,639	6	3	4	5	7	31	67	155	359	818	1,184	-	
G00,G03.....	2,122	202	73	44	68	113	233	285	289	361	318	136	-	
G20-G21.....	31,200	1	-	-	2	4	14	88	498	4,122	14,996	11,475	-	
G30.....	78,695	-	-	-	1	1	10	97	693	5,557	28,339	43,997	-	
I00-I78.....	1,404,765	2,355	916	1,333	3,220	7,943	29,011	67,051	122,493	258,577	450,729	461,066	71	
I00-I09,I11,I13, I20-I51.....	1,211,124	2,040	770	1,121	2,821	7,015	25,470	59,740	109,582	226,848	384,911	390,740	66	
I00-I09.....	7,403	13	4	10	17	67	206	461	815	1,747	2,506	1,557	-	
I11.....	25,326	1	1	-	46	264	1,241	2,351	2,965	4,210	6,587	7,658	2	
I13.....	4,467	-	1	2	11	36	153	231	389	735	1,425	1,484	-	
I20-I25.....	680,246	77	12	47	216	1,455	9,729	30,613	62,093	132,345	223,170	220,445	44	
I21-I22.....	238,677	44	4	24	103	614	4,033	13,205	26,331	51,069	77,595	65,648	7	
I24.....	7,837	13	3	6	13	53	267	664	1,052	1,601	2,112	2,053	-	
I20,I25.....	543,423	27	6	20	119	1,013	7,253	22,697	46,530	102,945	179,310	183,466	37	
I25.0.....	100,989	-	1	2	17	269	2,159	6,509	11,214	18,920	29,467	32,405	26	
I20, I25.1-I25.9	447,911	27	5	18	103	758	5,213	16,484	35,792	85,073	151,608	152,819	11	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
I26-I51	798,514	1,967	762	1,091	2,629	5,682	17,158	35,916	66,086	142,429	253,862	270,905	27	
I33.....	2,402	12	4	2	16	80	260	340	352	513	566	257	-	
I30-I31,I40.....	4,827	67	36	35	114	190	441	659	898	1,028	995	363	1	
I50.....	286,523	279	101	130	286	562	1,900	5,324	14,048	41,144	95,029	127,716	4	
I26-I28,I34-I38, I42-I49,I51.....	608,180	1,725	672	993	2,382	5,229	15,687	32,113	56,463	115,162	191,365	186,366	23	
I10,I12.....	87,901	14	3	5	51	262	1,312	3,756	7,621	17,072	29,157	28,646	2	
I60-I69.....	282,491	337	170	239	411	1,029	3,998	8,878	17,015	44,231	98,891	107,285	7	
I70.....	46,604	5	3	3	10	32	207	857	2,259	6,519	15,326	21,383	-	
I71-I78	58,017	36	10	22	95	234	811	1,895	4,699	12,634	21,013	16,567	1	
I71.....	22,028	2	1	3	51	114	380	757	1,818	5,395	8,564	4,943	-	
I72-I78.....	36,899	34	9	19	46	122	438	1,153	2,961	7,498	12,818	11,800	1	
I80-I99.....	29,533	479	44	42	119	384	1,420	2,692	3,552	5,808	8,261	6,729	3	
J10-J18	230,684	637	360	364	727	1,631	4,552	7,776	13,585	34,081	75,417	91,546	8	
J10-J11.....	2,177	19	14	15	15	15	28	49	122	237	622	1,041	-	
J12-J18.....	228,983	618	349	353	712	1,619	4,526	7,732	13,484	33,871	74,937	90,774	8	
J20-J22	1,819	121	55	10	11	12	29	55	118	262	487	659	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
J20-J21.....	1,506	118	53	9	11	11	27	46	104	244	400	483	-	
J22.....	313	3	2	1	-	1	2	9	14	18	87	176	-	
J40-J47.....	254,482	62	82	197	313	556	1,893	6,916	23,990	66,998	98,200	55,268	7	
J40-J42.....	3,445	38	26	9	21	38	82	146	293	522	998	1,272	-	
J43.....	32,741	4	2	1	5	30	246	1,048	3,795	10,115	12,379	5,116	-	
J45-J46.....	9,918	9	43	160	237	382	771	1,140	1,250	1,772	2,286	1,868	-	
J44, J47.....	211,872	13	14	27	55	117	840	4,697	19,090	55,627	83,790	47,595	7	
J60-J66, J68.....	2,789	-	3	-	2	2	11	39	180	694	1,219	639	-	
J69.....	56,552	50	58	81	122	269	627	1,301	2,492	7,485	20,047	24,020	-	
J00-J06, J30-J39, J67, J70-J98.....	225,616	1,296	538	713	1,279	2,262	6,060	12,133	22,640	49,766	74,858	54,064	7	
K25-K28.....	11,625	3	2	8	12	51	231	582	1,028	2,155	3,853	3,697	3	
K35-K38.....	714	5	2	28	6	12	33	76	85	142	194	131	-	
K40-K46.....	3,479	82	6	3	8	23	70	117	234	507	1,048	1,381	-	
K70, K73-K74.....	40,627	16	9	9	48	548	4,708	9,377	8,383	9,198	6,611	1,717	3	
K70.....	11,044	-	-	-	6	247	1,967	3,453	2,653	1,828	768	122	-	
K73-K74.....	30,167	16	9	9	43	317	2,855	6,098	5,863	7,476	5,878	1,600	3	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
K80-K82.....	5,933	3	-	1	17	42	127	261	469	1,066	1,996	1,951	-	
N00-N07,N17-N19, N25-N27.....	185,714	772	97	157	424	1,490	4,744	10,141	18,428	39,306	61,269	48,881	5	
N00-N01,N04.....	595	6	5	7	3	15	27	43	68	134	193	94	-	
N02-N03 N05-N07,N26.....	1,459	-	2	2	22	33	68	109	152	311	454	306	-	
N17-N19.....	184,378	766	89	149	402	1,455	4,687	10,053	18,291	39,011	60,870	48,600	5	
N25,N27.....	153	-	4	-	3	4	8	15	14	34	43	28	-	
N10-N12,N13.6,N15.1	1,868	7	3	8	10	26	71	119	147	308	528	641	-	
N40.....	2,672	-	-	-	-	-	2	14	79	425	1,079	1,073	-	
N70-N76.....	296	2	2	1	4	9	28	24	33	55	86	52	-	
000-099.....	444	-	107	199	129	9	-	
000-007.....	38	-	11	17	10	-	-	
010-099.....	415	-	97	186	123	9	-	
P00-P96.....	18,203	17,861	174	77	31	15	12	6	8	8	5	1	5	
Q00-Q99.....	14,979	6,609	714	592	613	711	931	1,176	1,037	938	990	666	2	
R00-R99.....	283,204	5,079	979	1,070	2,272	4,027	9,538	15,219	23,467	46,745	81,108	93,613	87	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
RESIDUAL	531,119	2,516	1,301	1,773	4,181	8,407	23,648	39,680	51,115	90,119	147,439	160,905	35
V01-X59,Y85-Y86	135,992	957	1,968	3,209	14,065	12,552	16,635	13,505	9,348	12,906	23,904	26,828	115
V01-V99,Y85	47,824	207	716	1,985	10,829	7,556	7,706	5,829	4,007	3,801	3,709	1,441	38
V02---V89.2	43,505	200	654	1,776	10,245	6,877	6,848	5,105	3,525	3,454	3,438	1,352	31
V01---V89.9	2,262	6	48	132	376	327	424	321	196	171	188	66	7
V90-V99,Y85	2,059	1	14	77	208	352	435	403	286	176	84	23	-
W00-X59,Y86	88,475	750	1,254	1,235	3,307	5,039	8,991	7,728	5,358	9,124	20,219	25,393	77
W00-W19	17,264	14	56	53	253	359	693	923	1,026	2,099	5,203	6,580	5
W32-W34	863	-	12	76	252	146	139	96	54	40	37	11	-
W65-W74	3,694	68	496	378	682	468	498	388	226	197	179	79	35
X00-X09	3,530	41	305	263	207	284	441	384	341	450	533	277	4
X40-X49	14,596	15	36	48	1,062	2,627	5,214	3,429	869	448	502	331	15
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86	49,077	615	352	424	894	1,220	2,128	2,594	2,873	5,925	13,839	18,195	18
X60-X84,Y87.0	29,490	247	3,929	5,149	6,517	5,124	2,926	2,509	2,255	818	16
X72-X74	16,712	104	2,327	2,631	3,116	2,693	1,873	1,809	1,625	529	5

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
X60-X71, X75-X84, Y87.0.....	12,823	143	1,606	2,524	3,411	2,444	1,058	703	633	290	11
X85-Y09, Y87.1.....	17,119	343	382	439	5,031	4,267	3,238	1,696	740	488	329	115	51
X93-X95.....	10,900	9	50	224	4,062	3,064	1,882	902	378	195	95	24	15
X85-X92, X96-Y09, Y87.1.....	6,314	334	332	216	991	1,231	1,375	806	368	299	235	91	36
Y35, Y89.0.....	412	-	-	1	67	140	126	55	20	2	1	-	-
Y10-Y34, Y87.2, Y89.9	4,191	65	45	50	445	772	1,379	846	241	133	117	77	21
Y22-Y24.....	330	-	3	12	128	52	58	29	14	16	14	4	-
Y10-Y21, Y25-Y34, Y87.2, Y89.9.....	3,863	65	42	38	318	721	1,321	817	227	117	103	73	21
Y36, Y89.1.....	53	-	-	-	-	-	1	5	4	15	22	6	-
Y40-Y84, Y88.....	34,002	278	216	303	441	674	1,565	2,871	4,631	8,269	9,922	4,831	1
S00-T98.....	199,076	1,528	2,505	4,120	23,557	23,001	28,524	22,751	15,708	20,225	29,914	27,047	196
S02.....	3,927	50	99	201	920	570	629	421	308	264	274	186	5
S12, S22, S32, T08.....	7,040	14	44	104	701	501	592	542	457	775	1,516	1,791	3
S72.....	15,838	5	4	17	79	50	54	126	269	1,239	4,887	9,107	1

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
S42, S52, S62, S82, S92, T10, T12.....	2,598	7	4	18	125	85	113	146	158	275	647	1,019	1
T02.....	725	-	2	7	108	87	103	85	68	66	119	80	-
S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03.....	541	2	14	22	83	64	61	55	32	50	76	82	-
S05.....	87	6	1	3	5	6	7	2	2	11	13	31	-
S06.....	16,396	142	229	437	2,145	1,523	1,726	1,563	1,202	1,810	2,998	2,613	8
S26-S27, S36-S37.....	6,881	23	85	148	1,262	1,031	974	777	522	591	851	609	8
S07---T05.....	1,246	8	40	35	191	188	236	202	120	110	81	33	2
S00---T14.....	88,335	420	1,011	2,403	17,882	14,497	14,516	10,893	7,235	7,158	7,849	4,384	87
T15-T19.....	15,582	123	139	129	193	272	551	826	1,061	2,277	4,809	5,202	-
T20-T32.....	3,089	26	155	118	296	340	457	390	316	345	393	248	5
T36-T50.....	19,591	24	27	38	1,358	3,596	7,088	4,732	1,204	582	565	358	19
T51-T65.....	7,893	56	322	318	629	1,135	1,933	1,445	706	531	576	231	11
T74.....	197	99	54	11	5	2	1	1	4	5	8	6	1
T33-T35, T66-T73, T75-T78.....	18,082	623	727	812	2,600	2,897	3,273	2,281	1,316	1,262	1,342	874	75

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1999

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
T79-T88.....	23,248	210	154	224	443	577	1,201	2,122	2,981	5,336	6,539	3,459	2	
T90-T98.....	4,105	4	19	67	130	280	440	432	445	562	884	842	-	

- QUANTITY = 0