

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
A01-A02.....	52	4	2	-	1	3	3	5	3	14	9	8	-	
A03,A06.....	23	-	-	-	-	1	1	2	4	3	9	3	-	
A04,A07-A09.....	2,421	13	12	4	6	16	48	61	139	423	841	858	-	
A16-A19.....	1,549	1	7	1	17	36	96	183	190	297	476	244	1	
A16.....	1,280	-	5	-	11	23	77	148	153	241	406	215	1	
A17-A19.....	278	1	2	1	7	14	20	36	38	56	73	30	-	
A37.....	18	16	-	-	-	-	-	-	2	-	-	-	-	
A38,A46.....	3	-	-	-	-	-	-	1	-	-	1	1	-	
A39.....	219	23	19	18	57	16	15	31	9	8	16	7	-	
A40-A41.....	137,393	731	320	308	706	1,509	4,567	9,650	15,027	27,393	42,399	34,777	6	
A50-A53.....	137	2	-	-	-	5	5	15	12	30	36	32	-	
A80.....	-	-	-	-	-	-	-	-	-	-	-	-	-	
A83-A84,A85.2.....	2	-	-	-	-	-	1	-	-	-	1	-	-	
B05.....	1	1	-	-	-	-	-	-	-	-	-	-	-	
B15-B19.....	10,568	10	2	9	31	188	1,657	3,871	1,810	1,545	1,160	284	1	
B20-B24.....	15,768	12	14	47	189	2,539	6,318	4,605	1,459	472	102	11	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
B50-B54.....	8	-	-	-	1	-	1	1	-	-	5	-	-	
A00--B99.....	17,332	345	138	190	301	538	1,311	1,856	2,213	3,377	4,252	2,811	-	
C00-C97	613,747	111	445	1,055	1,780	4,090	17,167	49,920	93,708	162,889	187,600	94,969	13	
C00-C14.....	9,205	-	-	6	26	52	332	1,200	1,922	2,427	2,149	1,091	-	
C15.....	13,385	1	-	-	3	40	302	1,395	2,806	4,066	3,565	1,207	-	
C16.....	13,945	-	-	1	15	125	498	1,140	1,904	3,339	4,328	2,595	-	
C18-C21.....	68,488	-	-	3	40	277	1,419	4,413	8,488	16,103	22,307	15,438	-	
C22.....	14,015	2	24	20	32	89	457	1,845	2,460	3,720	3,868	1,498	-	
C25.....	30,703	2	1	2	5	55	560	2,430	4,863	8,482	9,970	4,332	1	
C32.....	5,255	-	-	2	1	5	78	483	1,081	1,644	1,511	450	-	
C33-C34.....	165,552	2	3	2	26	202	2,783	12,209	30,988	55,746	49,636	13,950	5	
C43.....	8,146	-	-	2	42	188	644	1,238	1,372	1,796	1,864	1,000	-	
C50.....	51,811	2	-	-	11	474	2,937	6,683	8,204	10,651	13,034	9,815	-	
C53.....	4,744	-	-	1	19	236	714	973	826	788	763	424	-	
C54-C55.....	7,929	-	-	-	3	30	157	553	1,228	2,048	2,449	1,460	1	
C56.....	15,196	-	-	2	24	105	493	1,647	2,610	3,858	4,496	1,961	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
C61.....	44,407	-	1	-	-	1	26	420	2,334	8,998	18,945	13,680	2	
C64-C65.....	13,657	3	16	34	21	45	347	1,321	2,370	3,590	4,053	1,857	-	
C67.....	15,847	-	-	2	3	10	118	484	1,410	3,565	6,027	4,228	-	
C70-C72.....	13,340	24	108	328	244	426	1,133	2,000	2,461	3,194	2,655	767	-	
C81-C96	67,010	45	156	400	765	1,016	2,119	4,530	8,209	16,271	22,311	11,188	-	
C81.....	1,785	-	-	10	83	173	205	247	239	334	362	132	-	
C82-C85.....	27,158	1	11	59	190	338	905	1,991	3,635	6,612	9,166	4,250	-	
C91-C95.....	25,737	44	145	338	500	510	876	1,565	2,738	5,856	8,332	4,833	-	
C88,C90.....	13,173	-	-	2	-	8	160	764	1,728	3,722	4,727	2,062	-	
C96.....	143	-	2	2	1	-	6	9	19	32	46	26	-	
C17---C97.....	121,865	31	156	300	576	1,070	4,012	10,999	19,778	32,593	35,383	16,962	5	
D00-D48.....	22,672	90	58	118	130	231	543	1,032	1,927	4,293	8,002	6,247	1	
D50-D64.....	45,366	53	80	109	219	437	1,024	1,807	2,873	6,529	13,927	18,306	2	
E10-E14.....	213,062	9	7	38	253	1,066	4,139	12,652	26,657	52,069	72,196	43,972	4	
E40-E64.....	26,645	29	16	27	47	135	426	1,011	1,747	3,819	8,518	10,870	-	
E40-E46.....	24,337	21	10	21	43	127	407	939	1,627	3,525	7,782	9,835	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
E50-E64.....	2,370	8	6	6	4	8	23	74	126	299	756	1,060	-	
G00,G03.....	1,894	166	66	45	40	81	169	275	306	350	287	109	-	
G20-G21.....	32,518	1	1	-	3	6	12	88	551	4,110	15,626	12,119	1	
G30.....	84,178	1	-	-	-	3	12	92	725	5,691	29,856	47,795	3	
I00-I78.....	1,395,702	2,274	840	1,207	3,132	7,343	27,571	68,215	121,843	249,064	447,922	466,214	77	
I00-I09,I11,I13, I20-I51.....	1,235,596	1,973	720	995	2,744	6,501	24,738	62,288	111,503	223,660	393,621	406,779	74	
I00-I09.....	7,213	12	6	5	24	50	231	422	789	1,655	2,472	1,547	-	
I11.....	35,292	1	1	2	46	338	1,866	4,031	5,083	6,300	8,835	8,783	6	
I13.....	3,165	-	-	1	7	37	124	230	309	597	951	908	1	
I20-I25.....	668,196	86	17	37	223	1,343	9,633	30,954	61,605	125,519	218,820	219,906	53	
I21-I22.....	233,179	52	5	21	108	540	3,918	13,301	25,934	47,802	75,790	65,699	9	
I24.....	7,701	13	4	3	19	63	274	667	1,029	1,466	2,102	2,060	1	
I20,I25.....	532,476	29	9	16	117	954	7,191	22,868	45,980	97,708	175,244	182,313	47	
I25.0.....	97,272	1	-	1	25	253	2,029	6,698	11,067	17,561	28,355	31,259	23	
I20, I25.1-I25.9	440,546	28	9	15	95	714	5,245	16,462	35,443	81,025	148,650	152,835	25	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
I26-I51	795,237	1,899	705	959	2,533	5,143	15,810	36,138	65,116	137,715	252,940	276,248	31	
I33.....	2,411	9	4	6	27	82	225	381	338	498	602	239	-	
I30-I31,I40.....	4,666	57	39	33	115	181	422	700	854	991	924	350	-	
I50.....	290,171	313	112	130	243	516	1,877	5,440	14,368	40,657	95,278	131,227	10	
I26-I28,I34-I38, I42-I49,I51..	602,223	1,633	601	850	2,304	4,715	14,306	32,140	55,566	110,513	189,975	189,598	22	
I10,I12.....	214,864	8	8	16	71	498	2,898	9,447	18,878	39,556	71,743	71,735	6	
I60-I69.....	281,672	329	141	231	412	992	3,938	9,331	17,255	42,947	98,023	108,066	7	
I70.....	72,089	8	-	1	8	54	378	1,504	3,919	10,595	24,279	31,343	-	
I71-I78	54,885	35	12	22	100	222	688	1,744	4,223	11,674	19,818	16,344	3	
I71.....	21,922	3	-	7	55	126	341	747	1,798	5,381	8,363	5,101	-	
I72-I78.....	33,845	32	12	15	45	98	352	1,008	2,487	6,560	11,803	11,430	3	
I80-I99.....	34,474	488	34	47	132	392	1,545	3,083	4,044	6,597	9,760	8,350	2	
J10-J18	222,013	608	298	334	662	1,270	3,729	7,339	13,251	32,440	72,896	89,178	8	
J10-J11.....	2,313	12	12	15	18	18	38	76	144	289	657	1,034	-	
J12-J18.....	219,728	597	286	319	644	1,252	3,693	7,265	13,108	32,154	72,247	88,155	8	
J20-J22	1,143	89	36	11	14	14	24	48	54	142	251	460	-	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
J20-J21.....	877	87	35	9	13	12	20	42	48	114	181	316	-	
J22.....	266	2	1	2	1	2	4	6	6	28	70	144	-	
J40-J47.....	250,965	55	80	189	282	494	1,919	7,325	23,453	64,013	96,650	56,493	12	
J40-J42.....	3,225	29	25	16	19	16	77	152	243	493	937	1,218	-	
J43.....	29,047	4	3	-	8	36	226	1,005	3,297	8,592	11,160	4,715	1	
J45-J46.....	9,653	14	45	159	219	351	752	1,172	1,213	1,612	2,190	1,925	1	
J44,J47.....	210,111	9	8	19	38	94	895	5,077	18,866	53,589	82,705	48,801	10	
J60-J66,J68.....	2,889	-	1	-	2	5	18	43	171	656	1,244	749	-	
J69.....	57,351	42	64	65	130	216	633	1,330	2,456	7,562	20,629	24,224	-	
J00-J06,J30-J39, J67,J70-J98.....	222,486	1,189	549	662	1,188	1,970	5,637	12,255	22,641	48,058	74,010	54,316	11	
K25-K28.....	10,917	-	2	5	15	32	212	571	994	1,886	3,579	3,621	-	
K35-K38.....	806	3	7	19	17	15	36	73	115	164	214	143	-	
K40-K46.....	3,384	71	8	5	11	12	63	151	228	469	1,053	1,313	-	
K70,K73-K74.....	40,472	8	9	4	57	521	4,560	9,813	8,459	8,763	6,563	1,709	6	
K70.....	8,887	-	-	-	6	186	1,576	2,825	2,164	1,465	589	74	2	
K73-K74.....	32,325	8	9	4	51	353	3,114	7,235	6,465	7,419	6,019	1,644	4	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
K80-K82.....	5,859	1	-	5	18	41	132	266	424	978	1,951	2,043	-	
N00-N07,N17-N19, N25-N27.....	195,159	819	83	157	415	1,359	4,629	10,542	19,001	40,079	64,708	53,363	4	
N00-N01,N04.....	492	16	3	7	5	7	16	36	54	93	157	98	-	
N02-N03 N05-N07,N26....	1,229	4	1	6	15	24	64	104	148	228	369	266	-	
N17-N19.....	194,030	801	78	149	403	1,340	4,575	10,445	18,869	39,868	64,386	53,112	4	
N25,N27.....	180	4	2	-	1	7	14	23	28	33	45	23	-	
N10-N12,N13.6,N15.1.	1,746	12	3	3	9	24	75	118	151	237	538	576	-	
N40.....	2,622	-	-	-	-	-	3	12	88	377	1,042	1,099	1	
N70-N76.....	293	2	-	1	5	9	23	26	18	61	85	63	-	
000-099	452	-	113	198	132	8	-	
000-007.....	43	-	8	20	15	-	-	
010-099.....	418	-	105	184	120	8	-	
P00-P96.....	18,011	17,724	155	61	22	14	9	8	6	1	5	5	1	
Q00-Q99.....	15,214	6,881	666	529	647	715	938	1,108	1,142	933	1,020	634	1	
R00-R99.....	288,933	5,174	900	1,072	2,498	4,153	9,945	16,752	23,624	45,370	82,138	97,167	140	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
RESIDUAL.....	579,659	2,499	1,231	1,726	4,339	8,359	24,357	43,054	54,064	92,327	162,878	184,795	30	
V01-X59,Y85-Y86	134,558	1,013	1,903	3,089	14,381	12,254	16,735	13,931	9,511	12,221	22,941	26,488	91	
V01-V99,Y85	47,706	186	693	1,927	11,066	7,447	7,756	6,085	4,046	3,495	3,560	1,412	33	
V02---V89.2.....	44,118	179	653	1,776	10,594	6,920	6,987	5,448	3,639	3,187	3,353	1,356	26	
V01---V89.9.....	1,573	3	31	99	246	215	329	241	135	114	114	39	7	
V90-V99,Y85.....	2,020	4	9	52	226	312	440	399	272	195	94	17	-	
W00-X59,Y86	87,177	827	1,211	1,167	3,366	4,861	9,052	7,897	5,498	8,743	19,406	25,091	58	
W00-W19.....	17,487	10	38	40	243	324	662	960	1,118	2,126	5,172	6,794	-	
W32-W34.....	816	1	18	67	203	133	158	88	57	45	30	16	-	
W65-W74.....	3,594	77	496	379	665	433	499	373	228	184	167	68	25	
X00-X09.....	3,541	38	291	269	195	243	414	461	395	434	508	288	5	
X40-X49.....	15,205	20	36	49	1,279	2,658	5,369	3,643	889	456	466	330	10	
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86....	47,163	682	335	372	834	1,155	2,085	2,480	2,861	5,537	13,129	17,674	19	
X60-X84,Y87.0	29,604	307	4,016	4,815	6,603	5,491	2,978	2,321	2,215	851	7	
X72-X74.....	16,691	110	2,277	2,460	3,208	2,878	1,847	1,714	1,628	564	5	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
X60-X71,X75-X84, Y87.0.....	12,942	197	1,740	2,362	3,403	2,619	1,135	610	587	287	2
X85-Y09,Y87.1	16,950	362	366	374	4,947	4,185	3,250	1,781	753	462	325	115	30
X93-X95.....	10,827	12	28	187	3,964	3,089	1,912	962	367	184	81	29	12
X85-X92,X96-Y09, Y87.1.....	6,205	350	339	187	1,007	1,119	1,359	829	386	280	245	86	18
Y35,Y89.0.....	365	-	-	3	73	110	102	57	12	5	2	1	-
Y10-Y34,Y87.2,Y89.9	4,090	78	41	62	381	717	1,348	901	247	126	105	73	11
Y22-Y24.....	235	-	-	10	72	53	39	24	15	12	7	2	1
Y10-Y21,Y25-Y34, Y87.2,Y89.9.....	3,858	78	41	52	309	665	1,309	878	233	114	98	71	10
Y36,Y89.1.....	48	-	-	-	-	-	-	6	2	10	26	4	-
Y40-Y84,Y88.....	32,863	312	165	266	384	626	1,478	2,955	4,500	7,758	9,693	4,725	1
S00-T98.....	196,839	1,618	2,383	3,962	23,832	22,223	28,593	23,672	15,977	18,995	28,809	26,640	135
S02.....	3,722	35	79	139	901	578	580	427	291	229	282	179	2
S12,S22,S32,T08.....	7,083	19	40	79	642	486	607	545	443	781	1,515	1,925	1
S72.....	15,670	1	3	19	58	37	55	100	294	1,176	4,756	9,170	1

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
S42, S52, S62, S82, S92, T10, T12.....	2,553	4	5	21	92	76	113	130	173	274	682	982	1	
T02.....	671	4	3	14	89	79	111	84	52	60	104	71	-	
S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03.....	560	3	8	23	88	64	72	62	42	49	73	76	-	
S05.....	93	5	3	2	6	4	4	8	7	8	20	26	-	
S06.....	14,891	153	240	377	2,064	1,481	1,705	1,505	1,128	1,491	2,583	2,158	6	
S26-S27, S36-S37.....	6,231	23	72	110	1,201	892	936	729	469	538	695	563	3	
S07---T05.....	1,241	2	34	37	220	186	231	197	130	104	82	17	1	
S00---T14.....	88,431	448	1,004	2,297	17,849	14,106	14,684	11,466	7,395	6,793	7,834	4,490	65	
T15-T19.....	15,569	143	152	107	213	272	552	818	1,109	2,246	4,754	5,202	1	
T20-T32.....	3,046	18	123	129	329	327	427	399	326	337	398	225	8	
T36-T50.....	20,232	24	17	48	1,580	3,540	7,289	5,067	1,234	548	524	347	14	
T51-T65.....	7,841	45	323	324	621	1,060	1,892	1,519	757	529	512	253	6	
T74.....	196	105	55	7	3	-	-	6	5	2	4	8	1	
T33-T35, T66-T73, T75-T78.....	17,341	655	666	827	2,672	2,650	3,176	2,322	1,329	1,118	1,129	746	51	

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2000

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE													NOT STAT.
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER		
T79-T88.....	21,462	246	123	206	406	555	1,106	2,052	3,010	4,897	6,022	2,838	1	
T90-T98.....	3,752	4	19	53	127	202	452	453	379	520	797	746	-	

- QUANTITY = 0