

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
A39	211	-	71	39	7	-	84	-	-	-	3	7
A40	681	-	39	22	208	227	-	-	-	-	24	161
A41	30,543	-	777	17	808	9	63	736	-	-	176	27,957
A42	9	-	5	-	-	-	-	-	-	1	1	2
A43	72	-	39	1	-	-	-	-	-	-	10	22
A44	1	-	-	-	-	-	-	-	-	-	1	-
A46	2	2	-	-	-	-	-	-	-	-	-	-
A48	194	-	24	84	-	74	-	-	-	-	12	-
A49	733	-	215	93	6	-	-	-	-	-	114	305
A50	4	-	-	-	1	-	-	1	-	1	-	1
A52	32	-	1	9	-	19	-	-	-	-	-	3
A53	5	-	1	-	-	-	-	-	-	-	-	4
A54	12	-	-	-	-	-	-	-	-	-	11	1
A63	1	-	1	-	-	-	-	-	-	-	-	-
A64	6	6	-	-	-	-	-	-	-	-	-	-
A69	6	-	-	1	5	-	-	-	-	-	-	-
A75	1	-	-	-	-	-	-	-	-	-	-	1
A77	4	-	4	-	-	-	-	-	-	-	-	-
A79	1	-	-	-	-	-	-	-	-	-	-	1
A81	247	-	213	5	29	-	-	-	-	-	-	-
A82	3	-	-	-	-	-	-	-	-	-	-	3
A83	2	-	-	1	-	1	-	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
A85	3	-	2	-	-	-	-	-	-	-	1	-
A86	91	91	-	-	-	-	-	-	-	-	-	-
A87	39	-	3	-	11	-	-	-	-	-	1	24
A89	10	10	-	-	-	-	-	-	-	-	-	-
A91	1	1	-	-	-	-	-	-	-	-	-	-
A92	1	-	-	-	-	1	-	-	-	-	-	-
A93	1	-	-	-	-	-	-	-	-	-	1	-
B00	144	-	-	1	2	3	73	-	-	12	13	40
B01	44	-	2	6	24	-	-	-	-	-	2	10
B02	131	-	11	-	26	1	-	-	-	20	-	73
B05	1	-	-	-	1	-	-	-	-	-	-	-
B07	1	1	-	-	-	-	-	-	-	-	-	-
B08	1	-	-	-	-	-	-	-	-	-	1	-
B15	106	-	8	-	-	-	-	-	-	-	-	98
B16	754	-	-	-	41	-	-	-	-	-	-	713
B17	3,709	-	1	3,702	1	-	-	-	-	-	5	-
B18	669	-	-	132	523	-	-	-	-	-	1	13
B19	119	-	9	-	-	-	-	-	-	-	-	110
B20	5,722	-	224	1,117	55	682	23	341	614	1,331	1,324	11
B21	1,016	-	120	42	475	60	-	-	-	42	232	45
B22	1,609	-	221	-	226	-	-	-	-	1,162	-	-
B23	3,388	-	-	1	284	-	-	-	-	-	3,103	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
B24	2,743	2,743	-	-	-	-	-	-	-	-	-	-
B25	106	-	45	-	1	-	-	-	-	-	19	41
B26	2	-	-	-	-	-	-	-	-	-	-	2
B27	13	-	9	-	-	-	-	-	-	-	-	4
B30	2	-	-	-	1	1	-	-	-	-	-	-
B33	67	-	-	-	48	5	-	-	-	-	14	-
B34	377	-	11	3	-	2	-	-	-	-	43	318
B35	2	-	-	-	-	-	-	-	1	-	1	-
B37	321	-	4	28	-	-	14	2	3	196	55	19
B38	67	-	5	1	19	-	5	-	-	18	-	19
B39	32	-	-	-	7	-	-	-	-	-	-	25
B40	32	-	-	-	5	-	-	-	-	4	-	23
B42	1	-	1	-	-	-	-	-	-	-	-	-
B44	261	-	7	141	-	-	-	-	-	13	11	89
B45	111	-	9	79	-	-	-	-	-	13	-	10
B46	25	-	1	3	1	1	1	17	-	-	-	1
B47	3	-	-	-	-	-	-	-	-	-	-	3
B48	2	-	-	-	-	-	-	-	-	-	2	-
B49	388	388	-	-	-	-	-	-	-	-	-	-
B50	2	-	2	-	-	-	-	-	-	-	-	-
B54	1	1	-	-	-	-	-	-	-	-	-	-
B57	3	-	-	-	3	-	-	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
C04	153	-	-	-	-	-	-	-	-	-	-	153
C05	167	-	15	38	11	-	-	-	-	-	-	103
C06	968	-	39	-	18	-	-	-	-	-	1	910
C07	491	491	-	-	-	-	-	-	-	-	-	-
C08	172	-	36	1	-	-	-	-	-	-	-	135
C09	518	-	7	6	-	-	-	-	-	-	-	505
C10	547	-	3	1	-	1	1	-	-	-	-	541
C11	650	-	-	10	-	-	-	-	-	-	1	639
C12	144	144	-	-	-	-	-	-	-	-	-	-
C13	215	-	1	1	-	-	-	-	-	-	-	213
C14	1,555	-	1,555	-	-	-	-	-	-	-	-	-
C15	12,232	-	7	3	1	10	1	84	-	-	-	12,126
C16	12,645	-	762	3	2	6	12	-	-	-	-	11,860
C17	1,057	-	500	38	37	-	-	-	-	-	-	482
C18	48,570	-	455	235	475	12	90	2	101	547	1	46,652
C19	1,888	1,888	-	-	-	-	-	-	-	-	-	-
C20	6,527	6,527	-	-	-	-	-	-	-	-	-	-
C21	492	-	390	41	22	-	-	-	-	-	39	-
C22	12,916	-	5,389	2,724	36	16	4	-	-	1	-	4,746
C23	1,949	1,949	-	-	-	-	-	-	-	-	-	-
C24	1,717	-	796	234	-	-	-	-	-	-	2	685
C25	29,332	-	172	6	29	15	129	-	-	-	1	28,980

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	TOTAL	NONE (BLANK)	ICD-10 FOURTH DIGIT										
			.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
C26	1,377	-	449	12	-	-	-	-	-	-	-	-	916
C30	49	-	41	8	-	-	-	-	-	-	-	-	-
C31	370	-	131	22	3	9	-	-	-	-	-	-	205
C32	3,861	-	76	173	12	2	-	-	-	-	-	-	3,598
C33	90	90	-	-	-	-	-	-	-	-	-	-	-
C34	155,431	-	63	824	54	327	-	-	-	-	-	6	154,157
C37	144	144	-	-	-	-	-	-	-	-	-	-	-
C38	297	-	88	1	1	131	76	-	-	-	-	-	-
C39	46	-	4	-	-	-	-	-	-	-	-	-	42
C40	91	-	25	1	64	1	-	-	-	-	-	-	-
C41	1,121	-	54	114	104	20	53	-	-	-	-	-	776
C43	7,420	-	3	1	19	88	114	251	147	150	-	-	6,647
C44	2,252	-	4	9	103	209	1,018	66	28	49	-	-	766
C45	2,384	-	196	77	3	-	-	-	-	396	-	-	1,712
C46	62	-	-	-	-	-	-	-	-	4	-	-	58
C47	109	-	2	6	4	2	1	4	-	-	-	-	90
C48	766	-	262	29	474	-	-	-	-	-	-	1	-
C49	3,496	-	67	53	208	76	217	135	2	-	-	-	2,738
C50	42,300	-	7	-	-	-	-	-	2	-	-	1	42,290
C51	752	-	11	-	1	-	-	-	-	-	-	-	740
C52	405	405	-	-	-	-	-	-	-	-	-	-	-
C53	4,200	-	32	-	-	-	-	-	-	-	-	1	4,167

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
C54	3,140	-	1	3,110	-	-	-	-	-	-	-	29
C55	3,446	3,446	-	-	-	-	-	-	-	-	-	-
C56	14,060	14,060	-	-	-	-	-	-	-	-	-	-
C57	393	-	162	1	-	-	1	-	-	16	4	209
C58	16	16	-	-	-	-	-	-	-	-	-	-
C60	217	-	-	-	-	-	-	-	-	-	-	217
C61	31,078	31,078	-	-	-	-	-	-	-	-	-	-
C62	338	-	-	-	-	-	-	-	-	-	-	338
C63	42	-	1	9	8	-	-	-	-	2	-	22
C64	11,573	11,573	-	-	-	-	-	-	-	-	-	-
C65	163	163	-	-	-	-	-	-	-	-	-	-
C66	302	302	-	-	-	-	-	-	-	-	-	-
C67	12,002	-	1	1	2	-	-	1	-	9	-	11,988
C68	304	-	149	-	-	-	-	-	-	-	1	154
C69	236	-	2	-	25	11	4	9	47	-	-	138
C70	102	-	12	2	-	-	-	-	-	-	-	88
C71	12,412	-	226	96	112	75	15	4	168	230	39	11,447
C72	141	-	47	-	-	8	-	1	-	-	-	85
C73	1,329	1,329	-	-	-	-	-	-	-	-	-	-
C74	522	-	72	26	-	-	-	-	-	-	-	424
C75	217	-	14	19	4	23	2	15	-	-	-	140
C76	3,648	-	2,079	115	1,004	288	9	37	-	110	6	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
D05	2	-	-	1	-	-	-	-	-	-	-	1
D06	1	-	-	-	-	-	-	-	-	-	-	1
D07	1	-	-	-	-	-	-	1	-	-	-	-
D09	5	-	1	-	-	-	-	-	-	1	-	3
D10	1	-	-	-	-	1	-	-	-	-	-	-
D12	60	-	1	-	-	-	-	1	56	-	2	-
D13	65	-	5	13	5	-	10	-	10	19	-	3
D14	8	-	-	4	1	2	1	-	-	-	-	-
D15	87	-	26	59	2	-	-	-	-	-	-	-
D16	8	-	-	-	-	-	-	6	1	-	-	1
D17	15	-	1	-	-	-	-	-	-	11	-	3
D18	83	-	52	31	-	-	-	-	-	-	-	-
D20	2	-	1	1	-	-	-	-	-	-	-	-
D21	21	-	-	-	1	1	-	1	-	-	-	18
D23	25	-	-	-	-	1	1	4	-	1	-	18
D24	1	1	-	-	-	-	-	-	-	-	-	-
D25	32	-	-	-	-	-	-	-	-	-	-	32
D26	2	-	-	1	-	-	-	-	-	-	-	1
D27	19	19	-	-	-	-	-	-	-	-	-	-
D28	1	-	-	-	-	-	-	-	-	1	-	-
D29	1	-	-	1	-	-	-	-	-	-	-	-
D30	4	-	3	-	-	1	-	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
D32	859	-	234	6	-	-	-	-	-	-	-	619
D33	122	-	6	-	67	48	-	-	-	-	-	1
D35	128	-	30	8	90	-	-	-	-	-	-	-
D36	45	-	-	16	-	-	-	-	-	8	-	21
D37	610	-	45	46	23	10	105	17	139	186	-	39
D38	637	-	21	548	6	50	-	9	3	-	-	-
D39	69	-	19	42	3	-	-	-	-	2	-	3
D40	22	-	17	2	-	-	-	-	-	3	-	-
D41	128	-	67	1	2	-	57	-	-	-	-	1
D42	10	-	1	1	-	-	-	-	-	-	-	8
D43	3,010	-	202	100	2,639	1	37	-	-	-	-	31
D44	170	-	2	10	-	80	54	10	1	4	1	8
D45	326	326	-	-	-	-	-	-	-	-	-	-
D46	4,667	-	-	-	13	4	230	-	-	14	-	4,406
D47	1,685	-	-	1,491	62	20	-	-	-	19	-	93
D48	605	-	45	51	4	16	8	6	29	265	-	181
D50	117	-	54	-	-	-	-	-	-	-	12	51
D51	86	-	83	-	-	-	-	-	-	-	-	3
D52	18	-	-	-	-	-	-	-	-	-	-	18
D53	68	-	24	6	-	-	-	-	-	-	-	38
D55	1	-	1	-	-	-	-	-	-	-	-	-
D56	18	-	-	6	-	1	-	-	-	-	2	9

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
D57	477	-	81	390	3	3	-	-	-	-	-	-
D58	168	-	3	-	7	-	-	-	-	-	-	158
D59	174	-	-	111	1	35	6	12	-	-	-	9
D60	16	-	-	-	-	-	-	-	-	-	1	15
D61	1,050	-	19	-	-	7	-	-	-	-	2	1,022
D62	7	7	-	-	-	-	-	-	-	-	-	-
D64	2,294	-	-	-	-	77	-	-	-	-	47	2,170
D65	600	600	-	-	-	-	-	-	-	-	-	-
D66	83	83	-	-	-	-	-	-	-	-	-	-
D67	6	6	-	-	-	-	-	-	-	-	-	-
D68	999	-	10	1	56	2	5	-	-	-	82	843
D69	951	-	6	3	3	308	46	25	522	-	-	38
D70	339	339	-	-	-	-	-	-	-	-	-	-
D71	15	15	-	-	-	-	-	-	-	-	-	-
D72	78	-	-	13	-	-	-	-	-	-	62	3
D73	176	-	1	86	2	12	-	36	-	-	5	34
D74	1	-	-	-	-	-	-	-	-	-	-	1
D75	160	-	-	3	31	-	-	-	-	-	71	55
D76	67	-	20	8	1	38	-	-	-	-	-	-
D80	30	-	4	13	3	2	-	-	-	-	3	5
D81	16	-	-	-	-	-	-	-	-	-	2	14
D82	22	-	9	10	-	1	2	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
D83	34	-	-	-	-	-	-	-	-	-	-	34
D84	460	-	-	40	-	-	-	-	-	-	5	415
D86	743	-	122	-	-	-	-	-	-	-	67	554
D89	41	-	1	26	4	-	-	-	-	-	3	7
E00	1	-	-	-	-	-	-	-	-	-	-	1
E03	1,394	-	-	4	-	-	2	7	-	-	-	1,381
E04	59	-	-	1	14	-	-	-	-	-	-	44
E05	271	-	46	-	6	-	-	16	-	-	-	203
E06	13	-	1	-	-	6	-	1	-	-	-	5
E07	42	-	-	-	-	-	-	-	-	-	1	41
E10	7,767	-	56	196	211	8	78	934	44	144	7	6,089
E11	11,341	-	81	87	266	4	72	1,264	52	170	8	9,337
E12	4	-	-	-	-	-	-	-	-	-	-	4
E13	8	-	-	-	1	-	-	3	-	-	-	4
E14	50,181	-	498	1,475	1,181	17	217	5,485	222	449	213	40,424
E15	25	25	-	-	-	-	-	-	-	-	-	-
E16	183	-	2	3	169	-	-	-	-	-	9	-
E20	12	-	-	2	-	-	-	-	-	-	-	10
E21	100	-	1	1	-	96	-	2	-	-	-	-
E22	78	-	11	-	66	-	-	-	-	-	1	-
E23	146	-	81	-	48	4	-	-	5	8	-	-
E24	29	-	-	-	2	-	-	-	-	-	-	27

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
E25	8	-	7	-	-	-	-	-	-	-	-	1
E26	7	-	-	-	-	-	-	-	-	-	2	5
E27	237	-	-	100	14	-	109	-	-	-	2	12
E28	2	-	-	-	1	1	-	-	-	-	-	-
E31	1	-	1	-	-	-	-	-	-	-	-	-
E32	4	-	1	-	-	-	-	-	-	-	1	2
E34	74	-	41	-	-	26	-	-	-	-	5	2
E40	8	8	-	-	-	-	-	-	-	-	-	-
E41	206	206	-	-	-	-	-	-	-	-	-	-
E43	400	400	-	-	-	-	-	-	-	-	-	-
E44	3	-	1	2	-	-	-	-	-	-	-	-
E45	89	89	-	-	-	-	-	-	-	-	-	-
E46	3,220	3,220	-	-	-	-	-	-	-	-	-	-
E51	15	-	-	1	13	-	-	-	-	-	-	1
E53	31	-	-	-	-	-	-	-	-	-	31	-
E54	1	1	-	-	-	-	-	-	-	-	-	-
E55	1	-	1	-	-	-	-	-	-	-	-	-
E56	1	-	-	1	-	-	-	-	-	-	-	-
E61	7	-	1	4	-	-	-	2	-	-	-	-
E63	166	-	-	-	-	-	-	-	-	-	-	166
E64	94	-	79	-	-	-	-	-	-	-	5	10
E66	2,989	-	48	-	111	-	-	-	-	-	1,633	1,197

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
F06	2,149	-	-	-	-	-	-	-	-	-	-	2,149
F07	9	-	1	2	6	-	-	-	-	-	-	-
F09	16	16	-	-	-	-	-	-	-	-	-	-
F10	6,262	-	630	1,582	3,361	99	79	1	22	157	1	330
F11	234	-	1	146	58	-	-	-	-	-	-	29
F12	3	-	1	-	2	-	-	-	-	-	-	-
F13	1	-	-	-	1	-	-	-	-	-	-	-
F14	364	-	11	257	25	-	1	2	-	-	-	68
F15	35	-	-	17	3	-	-	-	-	-	-	15
F16	2	-	-	2	-	-	-	-	-	-	-	-
F17	544	-	-	144	32	-	-	-	-	5	-	363
F18	7	-	1	5	1	-	-	-	-	-	-	-
F19	1,269	-	1	882	278	6	-	-	-	-	-	102
F20	411	-	31	1	18	2	1	55	45	-	2	256
F22	10	-	9	-	-	-	-	-	-	-	1	-
F23	6	-	-	-	-	-	-	-	-	-	-	6
F25	21	-	-	-	-	-	-	-	-	-	-	21
F29	50	50	-	-	-	-	-	-	-	-	-	-
F30	4	-	1	-	-	-	-	-	-	-	-	3
F31	80	-	-	3	-	-	-	-	-	-	3	74
F32	713	-	-	-	70	4	-	-	-	-	3	636
F33	12	-	-	-	3	-	-	-	-	-	1	8

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
G37	112	-	1	5	26	6	-	-	-	-	5	69
G40	812	-	-	1	1	20	15	5	173	-	2	595
G41	511	-	-	-	-	-	-	-	-	-	1	510
G43	4	-	-	-	-	-	-	-	-	-	-	4
G45	289	-	30	4	-	-	-	-	-	-	2	253
G47	403	-	1	-	-	395	5	-	-	-	-	2
G50	8	-	8	-	-	-	-	-	-	-	-	-
G51	5	-	4	-	-	-	-	-	-	-	1	-
G52	6	-	-	-	1	-	-	-	-	-	-	5
G54	6	-	2	-	2	-	-	1	-	-	1	-
G58	31	-	-	-	-	-	-	-	-	2	7	22
G60	54	-	35	1	-	4	-	-	-	-	5	9
G61	233	-	227	-	-	-	-	-	-	-	3	3
G62	261	-	-	4	-	-	-	-	-	-	55	202
G70	663	-	467	-	-	-	-	-	-	-	7	189
G71	977	-	643	184	100	13	-	-	-	-	34	3
G72	118	-	6	2	2	-	1	-	-	-	38	69
G80	1,091	-	11	2	-	-	-	-	-	-	44	1,034
G81	149	-	-	-	-	-	-	-	-	-	-	149
G82	660	-	-	12	254	-	36	358	-	-	-	-
G83	240	-	1	4	2	-	4	-	-	-	192	37
G90	247	-	1	18	-	173	-	-	-	-	37	18

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
G91	720	-	9	55	237	1	-	-	-	-	21	397
G92	55	55	-	-	-	-	-	-	-	-	-	-
G93	5,497	-	37	3,763	62	2	756	154	239	7	144	333
G95	285	-	40	64	57	-	-	-	-	-	16	108
G96	49	-	4	3	-	-	-	-	-	-	15	27
G98	71	71	-	-	-	-	-	-	-	-	-	-
H04	2	-	-	-	-	1	1	-	-	-	-	-
H05	7	-	5	-	1	-	-	-	-	-	-	1
H10	1	-	-	-	-	-	-	-	-	-	-	1
H16	2	-	-	1	-	-	1	-	-	-	-	-
H26	2	-	-	-	-	-	-	-	-	-	-	2
H30	1	-	-	-	-	-	-	-	-	-	1	-
H35	5	-	-	-	-	5	-	-	-	-	-	-
H40	6	-	-	-	-	-	-	-	-	-	-	6
H44	3	-	3	-	-	-	-	-	-	-	-	-
H46	2	2	-	-	-	-	-	-	-	-	-	-
H49	9	-	-	-	3	-	-	-	-	-	5	1
H52	1	-	-	1	-	-	-	-	-	-	-	-
H53	1	-	-	1	-	-	-	-	-	-	-	-
H54	15	-	15	-	-	-	-	-	-	-	-	-
H57	2	-	-	-	-	-	-	-	-	-	-	2
H60	3	-	-	-	-	2	-	-	-	-	-	1

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
I51	9,458	-	19	20	17	3	511	176	3,846	1,384	658	2,824
I60	6,538	-	63	1	5	1	4	-	66	563	21	5,814
I61	20,340	-	174	128	56	642	601	780	3	-	73	17,883
I62	7,062	-	1,603	6	-	-	-	-	-	-	-	5,453
I63	13,747	-	165	25	738	2,383	637	306	1	-	65	9,427
I64	90,379	90,379	-	-	-	-	-	-	-	-	-	-
I67	9,046	-	27	425	1,343	26	72	11	-	94	1,152	5,896
I69	20,549	-	60	187	78	914	10,278	-	-	-	9,032	-
I70	14,393	-	58	76	557	-	-	-	-	-	3	13,699
I71	15,810	-	3,499	1,190	755	5,626	2,231	40	84	-	1,623	762
I72	784	-	40	1	38	176	53	-	-	-	106	370
I73	7,225	-	11	11	-	-	-	-	-	-	30	7,173
I74	966	-	64	240	11	166	38	24	-	-	34	389
I77	1,196	-	25	157	167	6	1	3	511	-	28	298
I78	55	-	28	13	-	-	-	-	-	-	10	4
I80	3,140	-	2	37	2,632	295	-	-	-	-	12	162
I81	61	61	-	-	-	-	-	-	-	-	-	-
I82	209	-	43	2	36	3	-	-	-	-	68	57
I83	177	-	63	15	5	-	-	-	-	-	-	94
I84	16	-	-	1	3	-	-	-	-	-	3	9
I85	221	-	168	-	-	-	-	-	-	-	-	53
I86	39	-	-	-	1	-	33	-	-	-	5	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
J63	7	-	-	-	5	1	-	-	-	-	1	-
J64	107	107	-	-	-	-	-	-	-	-	-	-
J65	6	6	-	-	-	-	-	-	-	-	-	-
J66	4	-	3	-	-	-	-	-	-	-	1	-
J67	33	-	10	-	2	-	-	-	-	2	-	19
J68	19	-	15	-	-	-	3	-	-	-	-	1
J69	16,636	-	16,632	3	-	-	-	-	-	-	1	-
J70	33	-	19	7	-	-	1	-	-	-	1	5
J80	2,185	2,185	-	-	-	-	-	-	-	-	-	-
J81	711	711	-	-	-	-	-	-	-	-	-	-
J82	222	222	-	-	-	-	-	-	-	-	-	-
J84	12,374	-	147	9,807	-	-	-	-	-	-	31	2,389
J85	327	-	125	85	111	6	-	-	-	-	-	-
J86	400	-	80	-	-	-	-	-	-	-	-	320
J90	865	865	-	-	-	-	-	-	-	-	-	-
J92	5	-	2	-	-	-	-	-	-	-	-	3
J93	324	-	46	37	-	-	-	-	-	-	5	236
J94	122	-	2	13	81	-	-	-	-	-	22	4
J96	3,252	-	203	140	-	-	-	-	-	-	-	2,909
J98	4,031	-	110	186	18	-	2,837	147	27	-	543	163
K02	5	-	-	-	-	-	-	-	-	-	-	5
K04	11	-	-	-	-	-	-	-	-	11	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
K05	4	-	-	1	1	1	-	-	1	-	-	-
K07	4	-	3	-	-	-	-	-	-	-	-	1
K08	2	-	-	-	-	-	-	-	-	-	2	-
K10	7	-	-	-	6	-	-	-	-	-	1	-
K11	51	-	-	-	49	2	-	-	-	-	-	-
K12	18	-	-	2	16	-	-	-	-	-	-	-
K13	7	-	1	-	1	-	-	-	-	5	-	-
K14	3	-	1	-	-	-	-	-	-	-	2	-
K20	189	189	-	-	-	-	-	-	-	-	-	-
K21	721	-	68	-	-	-	-	-	-	-	-	653
K22	1,300	-	95	124	263	206	265	83	80	-	132	52
K25	1,322	-	18	5	-	2	628	467	29	8	-	165
K26	1,518	-	6	3	1	1	644	685	54	8	-	116
K27	1,664	-	9	2	-	2	973	375	26	13	-	264
K28	54	-	-	-	-	-	39	7	3	-	-	5
K29	394	-	12	6	17	-	4	27	113	206	8	1
K30	8	8	-	-	-	-	-	-	-	-	-	-
K31	562	-	5	89	-	-	2	9	30	-	309	118
K35	371	-	315	18	-	-	-	-	-	-	-	38
K36	1	1	-	-	-	-	-	-	-	-	-	-
K37	55	55	-	-	-	-	-	-	-	-	-	-
K38	8	-	-	-	1	-	-	-	-	-	2	5

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
K40	214	-	-	1	2	143	24	-	-	-	-	44
K41	48	-	-	-	-	41	4	-	-	-	-	3
K42	63	-	45	5	-	-	-	-	-	-	-	13
K43	336	-	215	17	-	-	-	-	-	-	-	104
K44	455	-	73	6	-	-	-	-	-	-	-	376
K45	14	-	10	1	-	-	-	-	-	-	3	-
K46	392	-	225	47	-	-	-	-	-	-	-	120
K50	500	-	4	21	-	-	-	-	-	-	4	471
K51	263	-	-	1	2	1	1	-	-	-	4	254
K52	1,431	-	27	8	2	-	-	-	-	-	8	1,386
K55	9,060	-	3,624	196	95	-	-	-	-	-	1	5,144
K56	5,221	-	71	17	533	30	127	361	3,787	295	-	-
K57	3,290	-	13	13	291	159	2	-	-	-	1,258	1,554
K58	25	-	3	-	-	-	-	-	-	-	-	22
K59	358	-	127	-	1	184	-	-	-	-	35	11
K60	14	-	-	-	1	4	9	-	-	-	-	-
K61	77	-	6	68	-	3	-	-	-	-	-	-
K62	330	-	-	1	1	28	6	147	8	11	94	34
K63	2,290	-	28	1,571	176	33	2	-	-	-	61	419
K65	1,661	-	646	-	-	-	-	-	-	-	25	990
K66	287	-	99	123	-	-	-	-	-	-	47	18
K70	12,109	-	232	859	7	7,456	1,628	-	-	-	-	1,927

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
L13	7	-	-	2	-	-	-	-	-	-	-	5
L20	1	-	-	-	-	-	-	-	-	-	-	1
L26	15	15	-	-	-	-	-	-	-	-	-	-
L27	1	-	1	-	-	-	-	-	-	-	-	-
L29	1	-	-	-	-	-	-	-	-	-	-	1
L30	12	-	-	1	-	-	-	-	-	-	-	11
L40	33	-	-	4	-	-	-	10	-	-	-	19
L44	1	-	1	-	-	-	-	-	-	-	-	-
L50	1	-	-	1	-	-	-	-	-	-	-	-
L51	111	-	-	50	55	-	-	-	-	-	-	6
L53	16	-	-	-	-	-	-	-	-	-	4	12
L57	1	-	-	-	-	-	1	-	-	-	-	-
L60	5	-	1	-	-	-	-	4	-	-	-	-
L73	3	-	-	-	3	-	-	-	-	-	-	-
L81	1	-	-	-	-	-	-	-	-	-	-	1
L84	1	1	-	-	-	-	-	-	-	-	-	-
L88	9	9	-	-	-	-	-	-	-	-	-	-
L89	1,745	1,745	-	-	-	-	-	-	-	-	-	-
L90	3	-	-	-	-	-	-	3	-	-	-	-
L92	12	-	-	-	-	-	-	-	-	-	1	11
L93	195	-	194	-	1	-	-	-	-	-	-	-
L94	4	-	-	-	1	1	-	-	-	-	1	1

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
L95	1	-	-	-	-	-	-	-	-	-	1	-
L97	136	136	-	-	-	-	-	-	-	-	-	-
L98	150	-	1	-	7	-	107	1	-	-	11	23
M00	236	-	4	-	1	-	-	-	-	-	-	231
M02	3	-	-	-	-	3	-	-	-	-	-	-
M05	333	-	30	200	51	52	-	-	-	-	-	-
M06	2,347	-	-	2	-	-	7	-	-	-	2	2,336
M08	9	-	8	-	1	-	-	-	-	-	-	-
M10	69	-	14	-	-	4	-	-	-	-	-	51
M11	2	-	-	-	2	-	-	-	-	-	-	-
M12	1	-	-	-	-	-	-	1	-	-	-	-
M13	373	-	8	-	-	-	-	-	-	-	-	365
M15	23	-	-	-	1	1	-	-	-	-	-	21
M16	24	-	-	-	-	-	-	-	-	-	-	24
M17	20	-	-	-	-	-	-	-	-	-	-	20
M18	1	-	1	-	-	-	-	-	-	-	-	-
M19	872	-	-	-	10	-	-	-	-	-	1	861
M21	1	-	-	-	-	-	-	-	-	-	-	1
M24	8	-	-	-	-	-	2	5	-	-	1	-
M25	44	-	1	2	-	-	-	2	-	-	4	35
M30	89	-	53	32	-	4	-	-	-	-	-	-
M31	914	-	110	314	1	351	16	-	109	-	11	2

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
M32	1,339	-	2	1,195	-	-	-	-	-	-	-	142
M33	314	-	-	102	210	-	-	-	-	-	-	2
M34	1,331	-	71	106	-	-	-	-	-	-	565	589
M35	465	-	75	5	8	96	-	-	1	-	9	271
M40	79	-	-	-	78	-	-	1	-	-	-	-
M41	245	-	-	-	-	1	2	1	-	-	1	240
M43	14	-	1	3	4	-	-	-	4	-	-	2
M45	36	36	-	-	-	-	-	-	-	-	-	-
M46	141	-	-	1	112	1	22	-	-	-	-	5
M47	51	-	-	6	-	-	-	-	-	-	23	22
M48	203	-	166	-	-	-	-	2	-	-	6	29
M50	9	-	1	1	4	3	-	-	-	-	-	-
M51	37	-	3	-	11	20	-	-	-	-	-	3
M53	4	-	-	1	-	-	-	-	-	-	1	2
M54	50	-	-	12	-	1	-	5	-	-	-	32
M60	84	-	31	-	-	-	-	-	-	-	3	50
M61	1	-	-	1	-	-	-	-	-	-	-	-
M62	490	-	-	2	2	32	1	8	3	-	439	3
M65	1	-	-	-	-	-	-	-	-	-	1	-
M67	5	-	-	-	-	-	5	-	-	-	-	-
M70	5	-	-	-	4	-	-	-	1	-	-	-
M71	5	-	1	-	-	-	-	2	-	-	-	2

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
N36	20	-	6	-	-	1	-	-	-	-	10	3
N39	13,756	-	13,744	-	-	-	-	-	-	-	-	12
N40	433	433	-	-	-	-	-	-	-	-	-	-
N41	29	-	4	7	2	1	-	-	-	-	-	15
N42	43	-	1	4	-	-	-	-	-	-	-	38
N43	1	-	-	-	-	1	-	-	-	-	-	-
N45	10	-	3	-	-	-	-	-	-	-	-	7
N48	7	-	-	-	6	-	-	-	-	-	-	1
N49	36	-	-	1	27	-	-	-	-	-	8	-
N50	2	-	-	-	-	-	-	-	-	-	1	1
N61	6	6	-	-	-	-	-	-	-	-	-	-
N63	15	15	-	-	-	-	-	-	-	-	-	-
N64	22	-	-	-	-	-	-	-	-	-	-	22
N70	14	-	1	1	-	-	-	-	-	-	-	12
N71	17	-	1	-	-	-	-	-	-	-	-	16
N72	2	2	-	-	-	-	-	-	-	-	-	-
N73	77	-	-	-	2	-	-	2	1	-	1	71
N76	10	-	5	-	-	-	4	-	1	-	-	-
N80	8	-	2	-	-	1	-	-	-	-	-	5
N81	23	-	-	12	-	1	6	-	3	-	1	-
N82	65	-	3	-	-	49	9	-	-	-	-	4
N83	52	-	-	1	18	-	-	4	-	-	3	26

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
N85	7	-	-	-	-	-	-	-	-	-	1	6
N88	13	-	-	-	6	3	-	-	-	-	4	-
N89	1	-	-	-	-	-	-	-	-	-	-	1
N91	1	-	-	-	1	-	-	-	-	-	-	-
N92	4	-	2	2	-	-	-	-	-	-	-	-
N93	26	-	-	-	-	-	-	-	-	-	2	24
N94	11	-	-	-	-	-	-	-	-	-	10	1
N95	10	-	5	3	2	-	-	-	-	-	-	-
000	25	-	-	9	-	-	-	-	-	-	1	15
003	4	-	-	1	-	-	-	-	-	-	2	1
004	3	-	-	-	-	-	-	-	-	1	2	-
006	4	-	1	-	-	-	-	-	-	-	1	2
007	1	-	-	-	-	-	1	-	-	-	-	-
010	3	-	-	3	-	-	-	-	-	-	-	-
011	2	2	-	-	-	-	-	-	-	-	-	-
012	1	-	1	-	-	-	-	-	-	-	-	-
013	1	1	-	-	-	-	-	-	-	-	-	-
014	40	-	1	16	-	-	-	-	-	-	-	23
015	17	-	4	-	2	-	-	-	-	-	-	11
016	12	12	-	-	-	-	-	-	-	-	-	-
021	1	-	1	-	-	-	-	-	-	-	-	-
022	12	-	-	-	1	4	-	1	-	-	-	6

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
023	3	-	-	-	-	-	1	2	-	-	-	-
024	5	-	-	-	-	-	1	-	-	-	-	4
026	17	-	-	-	-	-	-	-	7	-	10	-
029	4	-	-	4	-	-	-	-	-	-	-	-
030	2	-	2	-	-	-	-	-	-	-	-	-
036	2	-	-	-	-	-	1	1	-	-	-	-
041	3	-	-	2	-	-	-	-	-	-	-	1
042	1	-	-	-	-	-	-	-	-	-	-	1
044	1	-	-	1	-	-	-	-	-	-	-	-
045	6	-	-	-	-	-	-	-	-	-	1	5
046	8	-	1	-	-	-	-	-	-	-	1	6
060	1	1	-	-	-	-	-	-	-	-	-	-
067	4	-	1	-	-	-	-	-	-	-	-	3
071	8	-	1	3	-	1	2	1	-	-	-	-
072	11	-	4	4	-	3	-	-	-	-	-	-
074	3	-	-	-	1	2	-	-	-	-	-	-
075	39	-	-	11	-	-	11	-	-	-	3	14
085	5	5	-	-	-	-	-	-	-	-	-	-
087	2	-	-	-	-	-	-	-	-	-	-	2
088	58	-	-	47	10	1	-	-	-	-	-	-
089	1	-	-	1	-	-	-	-	-	-	-	-
090	27	-	-	-	-	27	-	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
095	4	4	-	-	-	-	-	-	-	-	-	-
096	2	2	-	-	-	-	-	-	-	-	-	-
097	6	6	-	-	-	-	-	-	-	-	-	-
098	3	-	-	-	-	-	-	2	-	-	1	-
099	52	-	-	1	-	1	18	6	-	-	26	-
P00	135	-	62	4	11	13	-	22	1	-	17	5
P01	1,406	-	407	606	74	24	1	229	8	2	54	1
P02	1,065	-	25	433	17	76	23	22	11	455	-	3
P03	132	-	14	5	-	-	1	4	7	-	60	41
P04	43	-	-	-	1	-	40	-	-	-	1	1
P05	72	-	2	2	-	-	-	-	-	-	-	68
P07	4,404	-	131	4	3,151	1,118	-	-	-	-	-	-
P08	2	-	-	-	2	-	-	-	-	-	-	-
P10	3	-	1	-	-	1	-	-	-	-	-	1
P11	17	-	1	1	13	-	-	1	-	-	-	1
P15	24	-	4	-	-	-	-	-	-	-	5	15
P20	111	-	2	1	-	-	-	-	-	-	-	108
P21	549	-	45	-	-	-	-	-	-	-	-	504
P22	1,001	-	935	-	-	-	-	-	-	-	-	66
P23	90	-	3	-	1	1	-	3	-	-	2	80
P24	63	-	52	5	-	1	-	-	-	-	-	5
P25	232	-	111	112	1	6	-	-	-	-	2	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
P26	284	-	-	8	-	-	-	-	-	-	2	274
P27	335	-	-	297	-	-	-	-	-	-	-	38
P28	569	-	493	3	-	-	16	36	-	-	11	10
P29	1,006	-	408	558	10	3	3	-	-	-	22	2
P35	67	-	4	26	27	1	-	-	-	-	2	7
P36	769	-	23	12	12	6	15	-	-	-	114	587
P37	59	-	-	3	2	-	-	43	-	-	11	-
P38	3	3	-	-	-	-	-	-	-	-	-	-
P39	46	-	-	-	2	6	1	-	-	-	8	29
P50	22	-	-	-	-	-	12	-	-	-	1	9
P52	506	-	-	-	-	326	35	3	3	-	3	136
P53	1	1	-	-	-	-	-	-	-	-	-	-
P54	51	-	-	-	-	12	2	-	-	-	23	14
P55	7	-	3	-	-	-	-	-	-	-	-	4
P56	7	-	7	-	-	-	-	-	-	-	-	-
P57	1	-	-	-	-	-	-	-	-	-	-	1
P59	3	-	-	2	1	-	-	-	-	-	-	-
P60	75	75	-	-	-	-	-	-	-	-	-	-
P61	32	-	1	-	6	2	22	1	-	-	-	-
P70	12	-	1	7	1	-	3	-	-	-	-	-
P71	2	-	-	-	-	1	-	-	-	-	1	-
P74	9	-	-	3	-	2	-	1	-	-	1	2

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
P76	11	-	1	-	-	-	-	-	-	-	6	4
P77	368	368	-	-	-	-	-	-	-	-	-	-
P78	76	-	52	21	-	2	-	-	-	-	1	-
P80	6	-	-	-	-	-	-	-	-	-	-	6
P81	1	-	-	-	-	-	-	-	-	-	-	1
P83	163	-	1	-	161	1	-	-	-	-	-	-
P90	28	28	-	-	-	-	-	-	-	-	-	-
P91	38	-	16	-	11	-	3	7	-	-	1	-
P94	6	-	-	-	6	-	-	-	-	-	-	-
P96	157	-	50	-	-	-	44	-	-	-	48	15
Q00	328	-	326	-	2	-	-	-	-	-	-	-
Q01	38	-	-	1	1	-	-	-	-	-	-	36
Q02	88	88	-	-	-	-	-	-	-	-	-	-
Q03	193	-	9	26	-	-	-	-	-	-	2	156
Q04	401	-	12	-	113	111	6	1	22	-	29	107
Q05	134	-	-	1	-	-	32	-	1	-	-	100
Q06	2	-	-	1	-	-	-	-	-	-	-	1
Q07	40	-	18	-	-	-	-	-	-	-	3	19
Q10	2	-	-	-	-	2	-	-	-	-	-	-
Q14	1	-	-	-	1	-	-	-	-	-	-	-
Q18	3	-	-	-	-	-	-	-	-	-	-	3
Q20	272	-	65	29	-	95	29	3	1	-	48	2

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Q21	817	-	183	281	68	178	1	-	-	-	97	9
Q22	103	-	2	5	-	2	28	48	8	-	6	4
Q23	630	-	66	92	9	8	424	-	-	-	1	30
Q24	1,600	-	8	-	3	-	23	179	17	-	114	1,256
Q25	258	-	47	71	1	15	15	54	42	13	-	-
Q26	41	-	-	-	11	1	12	1	-	-	16	-
Q27	262	-	-	1	1	220	-	-	-	-	8	32
Q28	327	-	5	1	270	41	-	-	-	-	6	4
Q30	4	-	3	-	-	-	-	-	-	-	-	1
Q31	7	-	1	3	-	-	1	-	-	-	1	1
Q32	42	-	3	34	1	-	4	-	-	-	-	-
Q33	666	-	7	-	3	8	4	-	624	-	2	18
Q34	9	-	-	1	-	-	-	-	-	-	5	3
Q35	4	-	-	-	-	-	-	-	-	-	-	4
Q37	1	-	-	-	-	-	-	-	-	-	-	1
Q38	1	-	-	-	-	-	-	-	1	-	-	-
Q39	39	-	6	2	2	1	3	-	19	-	3	3
Q40	10	-	5	1	-	4	-	-	-	-	-	-
Q41	10	-	3	-	1	-	-	-	-	-	-	6
Q42	5	-	-	1	-	1	-	-	-	-	-	3
Q43	90	-	9	15	-	27	1	-	-	1	25	12
Q44	62	-	-	-	7	1	2	26	21	5	-	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Q45	5	-	-	1	-	1	-	-	-	-	-	3
Q51	1	-	-	-	-	1	-	-	-	-	-	-
Q52	2	-	-	-	-	-	1	-	-	-	-	1
Q54	1	-	-	-	-	-	-	-	-	-	-	1
Q55	1	-	-	-	-	-	1	-	-	-	-	-
Q56	2	-	-	-	1	-	1	-	-	-	-	-
Q60	248	-	6	19	107	-	1	23	92	-	-	-
Q61	417	-	10	7	20	337	22	3	-	-	-	18
Q62	8	-	2	2	-	-	-	-	-	1	3	-
Q63	17	-	-	-	1	-	-	-	-	-	2	14
Q64	16	-	-	-	6	4	-	1	-	-	-	5
Q65	1	-	-	-	-	-	1	-	-	-	-	-
Q66	1	-	-	-	-	1	-	-	-	-	-	-
Q67	28	-	-	-	1	-	-	18	1	-	8	-
Q68	17	-	-	-	-	-	-	-	-	-	17	-
Q72	1	-	-	-	1	-	-	-	-	-	-	-
Q73	1	-	-	1	-	-	-	-	-	-	-	-
Q74	13	-	1	-	2	7	-	-	-	-	2	1
Q75	15	-	2	3	-	1	3	-	-	-	2	4
Q76	6	-	1	2	-	-	2	-	-	1	-	-
Q77	42	-	4	19	5	3	9	-	-	1	1	-
Q78	115	-	66	5	12	-	1	1	-	-	2	28

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Q79	305	-	199	4	34	28	12	5	9	-	11	3
Q80	4	-	-	-	-	-	3	-	-	-	-	1
Q81	18	-	-	1	-	-	-	-	-	-	2	15
Q82	20	-	3	-	12	1	1	2	-	-	1	-
Q85	131	-	90	32	-	-	-	-	-	-	8	1
Q86	7	-	4	1	-	-	-	-	-	-	2	-
Q87	234	-	30	56	12	-	95	-	-	-	41	-
Q89	688	-	26	2	1	15	28	-	-	342	62	212
Q90	713	-	-	-	-	-	-	-	-	-	-	713
Q91	801	-	-	1	-	498	-	-	1	301	-	-
Q92	61	-	-	1	-	-	-	1	-	16	26	17
Q93	30	-	-	-	-	5	4	12	-	-	7	2
Q96	8	-	-	-	-	-	-	-	-	-	1	7
Q97	1	-	-	1	-	-	-	-	-	-	-	-
Q98	4	-	-	-	1	-	2	-	-	-	1	-
Q99	105	-	-	-	1	-	-	-	-	-	21	83
R00	78	-	8	66	1	-	-	-	-	-	3	-
R02	126	126	-	-	-	-	-	-	-	-	-	-
R04	101	-	4	-	27	-	-	-	-	-	70	-
R06	215	-	76	-	-	-	11	-	-	-	128	-
R07	7	-	-	-	-	-	7	-	-	-	-	-
R09	2,407	-	241	1	2,140	-	-	-	-	-	25	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
R10	62	-	30	-	-	-	32	-	-	-	-	-
R11	5	5	-	-	-	-	-	-	-	-	-	-
R13	49	49	-	-	-	-	-	-	-	-	-	-
R14	5	5	-	-	-	-	-	-	-	-	-	-
R16	3	-	2	-	1	-	-	-	-	-	-	-
R17	8	8	-	-	-	-	-	-	-	-	-	-
R18	10	10	-	-	-	-	-	-	-	-	-	-
R19	169	-	26	-	-	-	-	-	-	-	143	-
R22	2	-	-	-	2	-	-	-	-	-	-	-
R26	1	-	-	-	-	-	-	-	-	-	1	-
R27	1	-	-	-	-	-	-	-	-	-	1	-
R29	42	-	-	-	-	-	-	-	-	-	42	-
R31	4	4	-	-	-	-	-	-	-	-	-	-
R40	37	-	-	-	37	-	-	-	-	-	-	-
R41	3	-	3	-	-	-	-	-	-	-	-	-
R47	5	-	5	-	-	-	-	-	-	-	-	-
R50	43	-	-	-	-	-	-	-	-	-	-	43
R52	8	-	-	-	6	-	-	-	-	-	-	2
R53	277	277	-	-	-	-	-	-	-	-	-	-
R54	3,785	3,785	-	-	-	-	-	-	-	-	-	-
R55	33	33	-	-	-	-	-	-	-	-	-	-
R56	1,200	-	-	-	-	-	-	-	-	-	1,200	-

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
V04	295	-	29	262	-	-	-	-	-	-	-	4
V05	449	-	181	55	-	-	-	-	-	-	-	213
V06	11	-	9	-	-	-	-	-	-	-	-	2
V09	1,975	-	83	165	1,373	49	-	-	-	-	-	305
V10	2	-	-	-	-	-	-	-	-	-	-	2
V11	5	-	-	-	-	-	4	-	-	-	-	1
V12	2	-	-	-	-	-	1	-	-	-	-	1
V13	418	-	1	12	1	-	205	4	-	-	-	195
V14	30	-	-	-	1	-	8	-	-	-	-	21
V15	4	-	1	-	-	-	2	-	-	-	-	1
V17	15	-	1	-	3	-	4	-	-	-	-	7
V18	54	-	3	1	9	1	12	1	-	-	-	27
V19	210	-	-	-	2	6	61	1	75	-	10	55
V20	27	-	-	-	-	-	18	4	-	-	-	5
V22	49	-	1	-	-	-	31	4	-	-	-	13
V23	831	-	3	2	-	-	658	77	-	-	-	91
V24	66	-	-	-	-	-	52	6	-	-	-	8
V25	3	-	-	-	-	-	1	1	-	-	-	1
V26	2	-	-	-	-	-	2	-	-	-	-	-
V27	529	-	6	-	3	-	419	24	-	-	-	77
V28	431	-	13	-	3	-	314	35	-	-	-	66
V29	827	-	13	4	1	12	255	31	47	-	14	450

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
V31	1	-	-	-	-	-	-	-	-	-	-	1
V33	4	-	-	-	-	-	-	3	1	-	-	-
V34	3	-	1	-	-	-	-	1	-	-	-	1
V37	5	-	-	2	-	-	-	1	-	-	-	2
V38	6	-	3	1	-	1	-	-	-	-	-	1
V39	4	-	-	-	-	1	1	-	-	-	1	1
V40	43	-	-	1	1	1	-	21	5	1	-	13
V41	1	-	-	-	-	-	-	-	-	-	-	1
V42	26	-	-	-	-	-	-	15	7	-	-	4
V43	5,181	-	4	3	-	-	5	2,996	1,610	1	-	562
V44	1,068	-	-	-	-	-	-	694	281	2	-	91
V45	174	-	8	4	-	7	1	74	39	-	-	41
V46	8	-	-	-	-	-	-	3	4	1	-	-
V47	3,071	-	21	-	-	7	1	1,905	791	1	-	345
V48	2,612	-	12	3	2	12	10	1,430	725	7	-	411
V49	2,629	-	5	4	3	6	370	271	280	-	51	1,639
V50	8	-	-	-	-	2	-	4	-	-	-	2
V51	1	-	-	-	-	-	-	-	-	-	-	1
V52	4	-	-	-	-	-	-	1	-	-	-	3
V53	791	-	1	1	-	-	2	505	220	-	-	62
V54	373	-	-	-	-	-	-	262	75	1	-	35
V55	70	-	4	1	-	2	-	39	10	-	-	14

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	ICD-10 FOURTH DIGIT											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
V56	4	-	-	-	-	-	1	3	-	-	-	-
V57	702	-	4	1	-	2	1	495	138	-	-	61
V58	997	-	9	3	-	8	7	563	273	6	-	128
V59	318	-	2	1	-	5	73	65	19	-	44	109
V60	1	-	-	-	-	-	-	1	-	-	-	-
V63	35	-	-	-	-	-	-	28	4	-	-	3
V64	67	-	-	-	-	-	-	49	10	-	-	8
V65	18	-	1	-	-	-	-	13	3	-	-	1
V67	68	-	-	1	-	-	-	53	5	-	-	9
V68	131	-	2	1	1	5	-	86	12	1	-	23
V69	49	-	1	-	-	-	4	7	2	-	9	26
V70	1	-	-	-	-	-	-	-	1	-	-	-
V73	3	-	-	-	-	-	-	2	1	-	-	-
V74	5	-	-	-	-	-	-	3	2	-	-	-
V77	1	-	-	-	-	-	-	1	-	-	-	-
V78	3	-	-	1	-	-	1	-	1	-	-	-
V79	7	-	-	-	-	-	1	-	3	-	2	1
V80	97	-	66	1	-	-	10	1	-	1	1	17
V81	30	-	-	1	3	1	5	2	12	-	2	4
V82	1	-	-	-	-	-	1	-	-	-	-	-
V83	15	-	1	1	1	1	-	2	-	2	-	7
V84	273	-	20	-	1	22	-	20	2	6	-	202

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Y20	104	104	-	-	-	-	-	-	-	-	-	-
Y21	231	231	-	-	-	-	-	-	-	-	-	-
Y22	40	40	-	-	-	-	-	-	-	-	-	-
Y23	24	24	-	-	-	-	-	-	-	-	-	-
Y24	166	166	-	-	-	-	-	-	-	-	-	-
Y25	3	3	-	-	-	-	-	-	-	-	-	-
Y26	76	76	-	-	-	-	-	-	-	-	-	-
Y27	1	1	-	-	-	-	-	-	-	-	-	-
Y28	15	15	-	-	-	-	-	-	-	-	-	-
Y29	3	3	-	-	-	-	-	-	-	-	-	-
Y30	55	55	-	-	-	-	-	-	-	-	-	-
Y31	45	45	-	-	-	-	-	-	-	-	-	-
Y32	41	41	-	-	-	-	-	-	-	-	-	-
Y33	131	131	-	-	-	-	-	-	-	-	-	-
Y34	294	294	-	-	-	-	-	-	-	-	-	-
Y35	359	-	270	-	1	-	-	80	7	1	-	-
Y36	1	-	-	-	-	-	-	-	-	-	1	-
Y40	14	-	4	1	-	1	-	-	-	-	2	6
Y41	1	-	-	1	-	-	-	-	-	-	-	-
Y42	14	-	-	-	1	7	-	-	-	6	-	-
Y43	13	-	1	1	-	4	7	-	-	-	-	-
Y44	48	-	-	-	39	4	-	2	1	-	-	2

MORTALITY DOCUMENTATION TABLE 1
 DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2000

(NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.)
 (RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS)

3-DIGIT ICD-10 CODE	----- ICD-10 FOURTH DIGIT -----											
	TOTAL	NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Y45	16	-	7	-	-	3	-	6	-	-	-	-
Y46	8	-	-	-	7	-	-	1	-	-	-	-
Y47	4	-	1	1	-	-	-	-	-	-	-	2
Y48	16	-	-	1	-	2	13	-	-	-	-	-
Y49	3	-	1	1	-	-	-	1	-	-	-	-
Y52	9	-	2	-	6	-	-	1	-	-	-	-
Y53	2	-	1	-	-	-	-	-	-	-	-	1
Y54	3	-	-	-	-	-	-	-	-	-	3	-
Y57	100	-	-	-	-	-	-	7	1	-	4	88
Y60	128	-	32	2	6	-	14	6	18	4	28	18
Y61	3	-	1	-	-	-	-	-	-	-	-	2
Y62	1	-	-	-	-	-	1	-	-	-	-	-
Y63	3	-	-	-	1	-	-	-	1	-	-	1
Y64	1	-	1	-	-	-	-	-	-	-	-	-
Y65	39	-	-	-	-	3	2	-	-	-	34	-
Y69	2	2	-	-	-	-	-	-	-	-	-	-
Y73	1	-	1	-	-	-	-	-	-	-	-	-
Y75	1	-	1	-	-	-	-	-	-	-	-	-
Y80	1	-	1	-	-	-	-	-	-	-	-	-
Y82	4	-	-	2	-	-	-	-	-	-	2	-
Y83	2,034	-	90	293	217	101	127	158	153	-	174	721
Y84	505	-	14	48	20	1	2	-	78	-	335	7

